



EIGER

ORIGINAL

EIGER

OAK
STEAMED
ORIGINAL SURFACE



ALPINE WALL PANEL

3-LAYER, 4-SIDE PROFILED

LENGTH (M): 1.8 - 3.0 RANDOM

DIMENSIONS (mm)		
THICKNESS	WIDTH	
	Tongue Measurement	Covering Dimension
19 +/-1	93	85
19 +/-1	113	105
19 +/-1	133	125
19 +/-1	153	145
19 +/-1	173	165
19 +/-1	193	185
19 +/-1	213	205
19 +/-1	223	215

TOP LAYER	Oak Original Surface, Steamed Thickness 9.0 mm
MIDDLE LAYER	Spruce Natural Thickness 6.8 mm
BOTTOM LAYER	Spruce Natural Thickness 6.8 mm Non-Visible
APPLICATION	Interior Use according to CE Certification, Type 4
QUALITY	<ul style="list-style-type: none"> • Healthy, firmly attached knots allowed • Knot tears and cracks are filled/repared with anthracite-colored filler • Light burls allowed • Dynamic imprints allowed • Wood-specific discoloration desired
INFO	<p>The following properties must be observed:</p> <ul style="list-style-type: none"> • Three-layer solid wood planks are made of solid wood • Swelling and shrinkage behavior must be considered • If the ambient humidity is too high, the wood absorbs moisture, leading to dimensional changes and warping • If the ambient humidity is too dry, slight warping or fine surface cracks may occur • These are natural wood characteristics and not production defects