




**GARDASEE**  
BRUSHED



# GARDASEE

EUROPEAN ASH  
THERMALLY TREATED AT 200°  
BRUSHED



## TERRACE

BOARD

LENGTHS (M): 1,6 / 1,9 / 2,2 / 2,5 / 2,8 / 3,1 / 3,4\* / 3,7\* / 4,0\* / 4,3\*

DIMENSIONS (mm)		PACKAGING (Pieces)	
THICKNESS	WIDTH	PACKAGE SIZE	FOILED IN PACKS OF
20	104	upon request	5
20	125	upon request	5
20	140	upon request	5
25	104	upon request	4
25	125	upon request	4
25	140	upon request	4

PROFILE	Smoothing Planing or Straight Edge with Rounded Corners
QUALITY	One side knot-free – visible side essentially flawless. 10% of the delivered quantity may have small knots on the visible side.
CERTIFICATES	PEFC (upon request)
MOISTURE CONTENT	KD 7% ± 2
RESISTANCE CLASS	I
DENSITY	600 kg/m <sup>3</sup>
SURFACE TREATMENT	None
PLANING	Nice side
APPLICATION	Exterior Use
MODIFICATION	Thermally treated at 200°

Assembly instructions, available in the Terrace Guide at [www.mareiner.com](http://www.mareiner.com), must be followed.